



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Report of immigrants inspected at the port of Cienfuegos, Cuba, during the month of March, 1902.

Total number of immigrants inspected, 19 ; number passed, 19.

FELIX GIRALT,
Acting Assistant Surgeon, U. S. M. H. S.

The SURGEON-GENERAL,
U. S. Marine-Hospital Service.

Reports from Havana and Batabano—Building obtained for the shore disinfecting plant at Havana.

HAVANA, CUBA, April 5, 1902.

SIR: I have the honor to submit the following report of the transactions of this station for the week ended March 29, 1902:

The military governor, having obtained possession of the Machina, has very kindly authorized the alteration and repairs of the buildings at that place by the engineer department for the installation of the shore disinfecting plant and a number of well-located rooms for offices of the quarantine service. A tiled-roof porch, from 6 to 10 feet wide, will shade the front and end of the substantial, long, 1-story, concrete building, and this will be connected with the new passenger building by a shifting canvas-covered way to protect baggage in bad weather. The floors of the disinfecting part of the building are concreted and the ends of the steam chambers will be separated by partitions, making complete isolation between the infected and noninfected rooms.

I have also secured from the collector of customs the use of the large room in the northeast corner of the second story of the passenger building, for the use of the passenger department of the quarantine service, making a very compact and convenient arrangement and avoiding the rental of office space.

The shore disinfecting plant has been housed for the past three years in a rough, temporary building at the Caballeria wharf, and no opportunity has heretofore been presented for its removal to a proper site.

Batabano.—Acting Asst. Surg. Jose M. Campos reports having inspected 5 vessels on arrival and issued 5 bills of health during the week.

I inclose herewith statistics of this station, together with mortuary data of the city of Havana, for the week ended above.

Respectfully,
A. H. GLENNAN,
Surgeon, U. S. M. H. S.,
Chief Quarantine Officer for the Island of Cuba.
The SURGEON-GENERAL,
U. S. Marine-Hospital Service.

[Inclosure.]

Summary of transactions at Havana for the week ended March 29, 1902.

PASSENGER DEPARTMENT.

Number of passengers inspected.....	191
Number of passengers vaccinated.....	10
Total	201